



Systeme de plase
Insect screen systems

Contents



Cuprins

Sisteme mobile	3-14	Mobile systems
Sisteme de usi batante si glisante	15-28	Opening and sliding door systems
Sisteme cu rama fixa	29-31	Fixed frame systems
Alte componente	35-36	Other parts



Sisteme mobile
(verticale si
orizontale)



Mobile systems
(vertical and
horizontal)



1

4

•1019
•FO1019





Caseta normala 45x45mm	45x45mm shutter box for insect screen
Grosime mat. 1mm, bara la 6m	Thickness of material 1mm, 6m aluminium profile
Protejat cu folie de protectie	With protective film layer

 1x6m		N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1019	✓	✓	✓																	
•Fo1019								✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

1

•1102





Caseta normala 41x47mm	41x47mm shutter box for insect screen
Grosime mat. 1mm, bara la 6m	Thickness of material 1mm, 6m aluminium profile
Protejat cu folie de protectie	With protective film layer

 1x6m		N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1102	✓	✓	✓																	

1

•1067E
•FO1067E
•1067H
•FO1067H





Caseta RONDO (spate, fata)	RONDO type shutter box for insect screen
Grosime mat. 1mm, bara la 6m	Thickness of material 1mm, 6m aluminium profile
Protejat cu folie de protectie	With protective film layer

 1x6m		N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1067E/H	✓	✓	✓																	
•FO1067E/H								✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

2

•1005
•FO1005



1x6m

	N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1005	✓	✓	✓																
•Fo1005							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Ghidaj plasa I.

Guide channel I.

Grosime mat. 1mm,
bara la 6m



Thickness of material
1mm, 6m aluminium
profile

Protejat cu folie
de protectie

With protective
film layer

2

•1006
•FO1006



1x6m

	N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1006	✓	✓	✓																
•Fo1006							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Ghidaj plasa II.
(Klick-Klack)

Guide channel II.
(Klick-Klack)

Grosime mat. 1mm,
bara la 6m


Thickness of material
1mm, 6m aluminium
profile

Protejat cu folie
de protectie

With protective
film layer

3

•1008
•FO1008



1x6m

	N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1008	✓	✓	✓																
•Fo1008							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Profil agatator
plasa I. 35x7mm

35x7mm endslat I.
(hook-in type)

Grosime mat. 1mm,
bara la 6m

Thickness of material
1mm, 6m aluminium
profile

Protejat cu folie
de protectie



With protective
film layer


3

6

•1009

•FO1009



•5016

1x4,5m

	N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1009	✓	✓	✓																
•Fo1009							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Profil de tragere
II. 40x10,5mm
(actionare
orizontala)

Grosime mat. 1mm,
bara la 6m

Protejat cu folie
de protectie

Banda magnetica

40x10,5mm
endslat II.
(horizontal
operation)

Thickness of material
1mm, 6m aluminium
profile



With protective
film layer

Magnet tape

3

•1010

•FO1010



1x6m

	N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1010	✓	✓	✓																
•Fo1010							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Profil agatator III.
40,5x8,3mm
(Klick-Klack)

Grosime mat. 1mm,
bara la 6m

Protejat cu folie
de protectie

40,5x8,3mm
endslat III.
(Klick-Klack)


Thickness of material
1mm, 6m aluminium
profile

With protective
film layer

4

•1077

•FO1077



1x6m

	N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1077	✓	✓	✓																
•Fo1077							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Agatator fix
29,5x21,5mm
(deschis)

Grosime mat. 1mm,
bara la 6m

Protejat cu folie
de protectie

29,5x21,5mm
hook-in type
endslat
(opened)

Thickness of material
1mm, 6m aluminium
profile

With protective
film layer


EVO

OBLAL TEAM

• ne rezervam dreptul de modificari tehnice • we reserve the right of any technical change •

4

•1007
•FO1007



1x6m

	N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1007	✓	✓	✓																
•Fo1007							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Agatator fix
29,5x21,5mm
(inchis)

Grosime mat. 1mm,
bara la 6m

Protejat cu folie
de protectie

29,5x21,5mm
hook-in type fixed
profile (closed)


Thickness of material
1mm, 6m aluminium
profile

With protective
film layer

7

4

•1015
•FO1015



1x6m

	N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1015	✓	✓	✓																
•Fo1015							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Profil de inchidere
20x22mm
(actionare
orizontala)

Grosime mat. 1mm,
bara la 6m

Protejat cu folie
de protectie

Banda magnetica


20x22mm
host profile
(horizontal
operation)

Thickness of material
1mm, 6m aluminium
profile



With protective
film layer

Magnet tape

•5016



•7018 - 100cm
•7019 - 120cm
•7020 - 140cm
•7021 - 160cm
•7022 - 180cm
•7023 - 200cm
•7024 - 220cm
•7025 - 240cm
•7026 - 260cm
•7027 - 280cm



1x6m

Plasa infasurata pe
ax din aluminiu

10 inaltimi diferite
bari la 6m
capetele sudate cu
microunde

gri

Round reel with
insect screen

10 different heights
6 meter profile
microwave welded
at both ends

grey


5

8

•6002

•6002FE

2 X




1 X



2 X



2 X



2 X



1 X



 1x1


5

5

•6002/2

•6002/2FE

2 X




1 X



2 X



2 X



2 X



1 X



 1x1

Set plasa insecte actionare verticala (45x45mm)	Set insect screen vertical operation (45x45mm)
Capac lateral din PVC 45x45mm	Injection molded PVC endcap 45x45mm
Arc cu capete si tub PVC pentru protectie	Spring with PVC tube and spring ends
Inele de etansare pentru arc	Bushings for spring alignment
Legtura ghidaj-profil agatator fix din material plastic Maneras pliabil pentru profil agatator I.	Bottom profile and guide channel connector PVC Flexible hanle for endslat I.
Set snur	Pulling cord set
6002 - alb 6002FE - negru	6002 - white 6002FE - black

Set plasa insecte actionare verticala (41x47mm)	Set insect screen vertical operation (41x47mm)
Capac lateral din PVC 45x45mm	Injection molded PVC endcap 45x45mm
Arc cu capete si tub PVC pentru protectie	Spring with PVC tube and spring ends
Inele de etansare pentru arc	Bushings for spring alignment
Legtura ghidaj-profil agatator fix din material plastic Maneras pliabil pentru profil agatator I.	Bottom profile and guide channel connector PVC Flexible hanle for endslat I.
Set snur	Pulling cord set
6002/2 - alb 6002/2FE - negru	6002/2 - white 6002/2FE - black



OBLAL TEAM

• a műszaki változtatások jogát fenntartjuk •

zadržavamo pravo tehničkih promjena •


ne rezervam dreptul de modificari tehnice •

we reserve the right of any technical change •

5

•6005
•6005FE

2 X




1 X



2 X



2 X



2 X



1 X




1x1

5

•6005A
•6005B
•6005N

2 X




1 X



2 X



2 X



2 X



1 X



1x1

9

**Set plasa insecte
actionare verticala
cu caseta ROND
(capac din PVC)**

Capac lateral din
PVC

Arc cu capete si tub
PVC pentru protectie

Inele de etansare
pentru arc

Legtura ghidaj-profil
agatator fix din
material plastic
Maneras pliabil
pentru profil
agatator I.

Set snur

6005 - alb
6005FE - negru

**Set insect screen
vertical operation
with RONDO box
(PVC endcap)**

Injection molded
PVC endcap

Spring with PVC
tube and spring
ends

Bushings for
spring alignment

Bottom profile and
guide channel
connector PVC

Flexible hanle for
endslat I.

Pulling cord set

6005 - white
6005FE - black

**Set plasa insecte
actionare verticala
cu caseta ROND
(capac din ALU)**

Capac lateral din
aluminium

Arc cu capete si tub
PVC pentru protectie

Inele de etansare
pentru arc

Legtura ghidaj-profil
agatator fix din
material plastic
Maneras pliabil
pentru profil
agatator I.

Set snur

6005A - alb
6005B - maro
6005N - natur

**Set insect screen
vertical operation
with RONDO box
(ALU endcap)**

Injection molded
aluminium endcap

Spring with PVC
tube and spring
ends

Bushings for
spring alignment

Bottom profile and
guide channel
connector PVC

Flexible hanle for
endslat I.

Pulling cord set

6005A - white
6005B - brown
6005N - mill finish

5

10

•6003

•6003FE

2 X

1 X

2 X

2 X

1 X

1 X

1x1

5

•6004

•6004FE

4 X

2 X

4 X

2 X

2 X

1x1

Set plasa insecte pentru usi cu actionare orizontala (cu un canat)	Set insect screen door system with horizontal operation (one hatches)
Capac lateral din PVC	Injection molded PVC endcap
Arc cu capete si tub PVC pentru protectie	Spring with PVC tube and spring ends
Inele de etansare pentru arc	Bushings for spring alignment
Legtura ghidaj-profil agatator fix din material plastic	Bottom profile and guide channel connector PVC
Pereche de manerasi pt. profil agatator II.	Pair of hanles for endslat II.
Pereche rotita de ghidare si saniuta pt. profil agatator II.	Pair of leading roller and slider for endslat II.
6003 - alb 6003FE - negru	6003 - white 6003FE - black

Set plasa insecte pentru usi cu actionare orizontala (cu doua canate)	Set insect screen door system with horizontal operation (two hatches)
Capac lateral din PVC	Injection molded PVC endcap
Arc cu capete si tub PVC pentru protectie	Spring with PVC tube and spring ends
Inele de etansare pentru arc	Bushings for spring alignment
Pereche de manerasi pt. profil agatator II.	Pair of hanles for endslat II.
Pereche rotita de ghidare si saniuta pt. profil agatator II.	Pair of leading roller and slider for endslat II.
6004 - alb 6004FE - negru	6004 - white 6004FE - black

EVO

OBLAL TEAM

• ne rezervam dreptul de modificari tehnice • we reserve the right of any technical change •

5 12 •6006A •6006B •6006N 2 X 1 X 2 X 2 X 1 X 1 X 1x1		Set plasa insecte pentru usi cu actionare orizontala RONDO-ALU (cu un canat) Capac lateral din aluminiu Arc cu capete si tub PVC pentru protectie Inele de etansare pentru arc Legtura ghidaj-profil agatator fix din material plastic Pereche de manerasi pt. profil agatator II. Pereche rotita de ghidare si saniuta pt. profil agatator II. 6006A - alb 6006B - maro 6006N - natur	Set insect screen door system with horizontal operation RONDO-ALU (one hatches) Injection molded aluminium endcap Spring with PVC tube and spring ends Bushings for spring alignment Bottom profile and guide channel connector PVC Pair of hanles for endslat II. Pair of leading roller and slider for endslat II. 6006A - white 6006B - brown 6006N - mill finish
5 •6007A •6007B •6007N 4 X 2 X 4 X 2 X 2 X 1x1		Set plasa insecte pentru usi cu actionare orizontala RONDO-ALU (cu doua canate) Capac lateral din aluminiu Arc cu capete si tub PVC pentru protectie Inele de etansare pentru arc Pereche de manerasi pt. profil agatator II. Pereche rotita de ghidare si saniuta pt. profil agatator II. 6007A - alb 6007B - maro 6007N - natur	Set insect screen door system with horizontal operation RONDO-ALU (two hatches) Injection molded aluminium endcap Spring with PVC tube and spring ends Bushings for spring alignment Pair of hanles for endslat II. Pair of leading roller and slider for endslat II. 6007A - white 6007B - brown 6007N - mill finish

EVO

OBLAL TEAM

• ne rezervam dreptul de modificari tehnice • we reserve the right of any technical change •

9


•5063



1x1

6


•5007



1x1

9


•5074SZ



1x1

10

•7002



1x6m

•7004



1x6m

Amortizor

La inaltime extreme este recomandat utilizarea amortizorului

rosu

Brake system

Helps to slow down of the insect screen

red

Inchidere Klick-Klack

Din material plastic de inalta calitate, montare fara profil agatator fix

negru

Klick-Klack system

High quality plastic part, can be mounted without fixed profile

black

Agatator fix nou

Din material plastic de inalta calitate, montare fara profil agatator fix

negru

New hook-in type system

High quality plastic part, can be mounted without fixed profile

black

Perie textila
6,5x9mm

Textile brush
6,5x9mm

Perie textila
6,5x9mm

Textile brush
6,5x9mm

negru

black





A1	A2	B1	B2
L-20 mm	L-20 mm	L-20 mm	L-20 mm
L-5 mm	L-5 mm	L-5 mm	L-5 mm
H-45 mm	H-45 mm	-	H-90 mm
-	H-45 mm	-	-
L-30 mm	-	-	-
L-65 mm	-	-	-
-	-	L-33 mm	L-33 mm
-	L-68 mm	-	-
-	-	L-65 mm	-
L-30 mm	L-30 mm	L-30 mm	L-30 mm
H-45 mm	H-45 mm	H-45 mm	H-90 mm

Ghid de debitare	Cutting parameters
caseta normala	normal shutter box
caseta RONDO	RONDO shutter box
ghidaj I.	giude channel I.
ghidaj II.	giude channel II.
profil agatator I.	endslat I.
agatator fix	fixed profile
profil agatator II.	endslat II.
profil agatator III.	endslat III.
profil 20x22mm	20x22mm host profile
plasa pe ax	round reel with net
perie textila	brushes for guide channels
A1 - vertical, agatator fix A2 - vertical, Klick-Klack B1 - orizontal, un canat B2 - orizontal, doua canate L - latime H - inaltime	A1 - vertical, hook-in type A2 - vertical, Klick-Klack B1 - horizontal one hatches B2 - horizontal two hatches L - width H - height



Sisteme de usi
batante si glisante

Opening and sliding
door systems



1

16

•1018

•FO1018

27,5

45

•5039

4,2mm

•7003

5

6,5

1x6m

	N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1018	✓	✓	✓																
•Fo1018							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Profil usa curbat
27,5x45mm, cu nut
pt. perie

Grosime mat. 1mm,
bara la 6m

Protejat cu folie
de protectie

Garnitura din
cauciuc 4,2mm

Perie textila
6,5x5mm

Door type insect
screen profile
27,5x45mm, arched

Thickness of material
1mm, 6m aluminium
profile

With protective
film layer

Rubber seal 4,2mm

Textile brush
6,5x5mm

2

•1023

•FO1023

18,3

70

1x6m

	N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1023	✓	✓	✓																
•Fo1023							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Profil maner „S”
pentru impartire
18,3x70mm

Grosime mat. 1mm,
bara la 6m

Protejat cu folie
de protectie

18,3x70mm „S”
bracing profile for
division

Thickness of material
1mm, 6m aluminium
profile

With protective
film layer

3

•1048

•FO1048

20

100

1x6m

	N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1048	✓	✓	✓																
•Fo1048							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Tabla de protectie
jos, 20x100mm

Grosime mat. 1mm,
bara la 6m

Protejat cu folie
de protectie

20x100mm lower
protective profile

Thickness of material
1mm, 6m aluminium
profile

With protective
film layer


EVO

OBLAL TEAM

• ne rezervam dreptul de modificari tehnice • we reserve the right of any technical change •

4


•5046
•5046FE



1x1

5


•5017
•5017B



1x50

6

•5062
•5062FE



1x50

Coltar ascuns din material PVC de pentru profil usa 27,5x45mm

PVC hidden corner element for 27,5x45mm door profile

Material PVC turnat

Injection molded PVC component

5046 - alb
5046FE - negru

5046 - white
5046FE - black

Sistem de inchidere usa cu magnet

Magnetic door lock

Material PVC turnat

Injection molded PVC component

5017 - alb
5017B - maro

5017 - white
5017B - brown

Sistem de inchidere usa din plastic cu Klick

PVC flap type door lock

Material PVC turnat

Injection molded PVC component



5062 - alb
5062FE - negru

5062 - white
5062FE - black

7 18 •5049 •5049FE 1x50	Balamale pentru usa din material plastic de calitate ridicata High quality PVC door hinges Material PVC turnat Injection molded PVC component 5049 - alb 5049FE - negru 5049 - white 5049FE - black
8 •5073 •5073FE 1x50	Adaptor pentru profil maner „S” „S” bracing profile adapter Material PVC turnat Injection molded PVC component 5072 - alb 5072FE - maro 5072 - white 5072FE - brown
9 •5072 •5072FE 1x50	Adaptor pentru tabla de protectie Lower protective profil adapter Material PVC turnat Injection molded PVC component 5073 - alb 5073FE - negru 5073 - white 5073FE - black

12

•1083
•FO1083



	N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1083	✓	✓	✓																
•Fo1083							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Profil distantier
30x45mm

Grosime mat. 1mm,
bara la 6m

Protejat cu folie
de protectie

30x45mm spacer
profile


Thickness of material
1mm, 6m aluminium
profile

With protective
film layer

19

13

•5089
•5089B
•5089FE



Coltar vizibil pentru
profil distantier

Material PVC turnat

5089 - alb
5089B - maro
5089FE - negru


Visible corner
element for
spacer profile

Injection molded
PVC component

5089 - white
5089B - brown
5089FE - black

13

•5089R



Coltar ascuns pentru
profil distantier

Material PVC turnat

negru

Hidden corner
element for
spacer profile

Injection molded
PVC component

black

Technical drawing of a 30x30x2mm aluminum extrusion profile. The drawing shows a cross-section of the profile with dimensions 30, 30, and 2. The profile has a U-shaped cross-section with a flat top and a flat bottom, and a small flange on the side.

Technical drawing of a profile with dimensions 12,3 and 27,2.

4,2mm

A diagram of a square pyramid. The base is a square with a side length of 8. The height of the pyramid is 4. The pyramid is shown in a perspective view, with the base and the four triangular faces visible.

1x6m

[illegible]

**Door type insect
screen profile
12x27mm**

Thickness of material
1mm, 6m aluminium
profile

With protective
film layer

Rubber seal 4,2mm

Textile brush
8x4mm

Magnet tape

Technical drawing of a Z-profile. The drawing shows the profile in perspective. Dimensions are indicated: a vertical dimension of 100 on the left, a horizontal dimension of 100 at the bottom, and a horizontal dimension of 100 on the right. A small detail view of the corner is shown in the bottom right corner.

Technical drawing of a Z-profile. The drawing shows a cross-section of the profile with a total height of 60 and a flange width of 10. The profile has a Z-shape with a central web and two flanges.

 1x6m[illegible]

**10x60mm „S”
bracing profile for
division**

Thickness of material
1mm, 6m aluminium
profile

With protective
film layer

Technical drawing of a rectangular profile. The vertical dimension is labeled 100, and the horizontal dimension is labeled 10. The profile has a complex top edge with a small protrusion and a notch.

 1x6m[illegible]


**10x100mm lower
protective profile**

Thickness of material
1mm, 6m aluminium
profile

With protective
film layer

4

•1072
•FO1072



•5039 4,2mm

•5071

1x6m


	N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1072	✓	✓	✓																
•Fo1072							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Profil cadru usa 15x39mm cu nut pt. perie	Door frame profile 15x39mm
Grosime mat. 1mm, bara la 6m	Thickness of material 1mm, 6m aluminium profile
Protejat cu folie de protectie	With protective film layer
Garnitura din cauciuc 4,2mm	Rubber seal 4,2mm
Banda magnetica	Magnet tape

21

5 6

•5065ALU




1x1

Coltar ascuns din aluminiu pt. profil usa si profil cadru	Hidden aluminium corner element for door and frame profile
Turnat din material aluminiu special, neeloxabil	Special aluminium alloy, not anodized
natur	mill finish

7

•5067
•5067R
•5067FE




1x25

Balama metalica pentru usa	Metalic door hinge
Turnat din material aluminiu special	Special aluminium alloy
5067 - alb 5067R - RAL8003 5067FE - negru	5067 - white 5067R - RAL8003 5067FE - black

4 22 •5068/5068B •5068R/5068RB •5068FE/5068FB 1x1	Balama metalica cu arc pentru usa Metalic door hinge with spring Turnat din material aluminiu special Special aluminium alloy 5068 - alb 5068R - RAL8003 5068FE - negru B : stanga 5068 - white 5068R - RAL8003 5068FE - black B : leftish
13 •5096 •5096FE 1x1	Adaptor pentru profil maner „S” 10x60mm 10x60mm „S” bracing profile adapter Material PVC turnat Injection molded PVC component 5096 - alb 5096FE - maro 5096 - white 5096FE - brown
12 •5097 •5097FE 1x1	Adaptor pentru tabla de protectie 10x100mm 10x100mm lower protective profil adapter Material PVC turnat Injection molded PVC component 5097 - alb 5097FE - negru 5097 - white 5097FE - black

1


•1080
•FO1080



•5039



•7003



1x6m

	N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1080	✓	✓	✓																
•Fo1080							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Profil usa glisanta
11x37mm
cu nut pt. perie

Grosime mat. 1mm,
bara la 6m

Protejat cu folie
de protectie

Garnitura din
cauciuc 4,2mm

Perie textila
6,5x5mm

Sliding door type
insect screen profile
11x37mm

Thickness of material
1mm, 6m aluminium
profile


With protective
film layer

Rubber seal 4,2mm

Textile brush
6,5x5mm

2

•1069
•FO1069



1x6m

	N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1069	✓	✓	✓																
•Fo1069							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Profil maner „S”
pentru impartire
10x60mm

Grosime mat. 1mm,
bara la 6m

Protejat cu folie
de protectie


10x60mm „S”
bracing profile for
division

Thickness of material
1mm, 6m aluminium
profile

With protective
film layer

3

•1079
•FO1079



1x6m

	N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1079	✓	✓	✓																
•Fo1079							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Profil rama dubla
24x30mm pentru
usa glisanta

Grosime mat. 1mm,
bara la 6m

Protejat cu folie
de protectie

Two-track frame
profile for sliding
door type insect
screens 20x30mm

Thickness of material
1mm, 6m aluminium
profile



With protective
film layer

3

24

•1075

•FO1075





Profil rama simpla pentru usi glisante 17x36mm	Single-track frame profile for sliding door type insect screens 17x36mm
Grosime mat. 1mm, bara la 6m	Thickness of material 1mm, 6m aluminium profile
Protejat cu folie de protectie	With protective film layer

	N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1075	✓	✓	✓												✓	✓	✓	✓	✓
•Fo1075							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

1x6m

3

•1094





Profil „Z” pentru sisteme glisante	„Z” profile for sliding door type systems
Grosime mat. 1mm, bara la 6m	Thickness of material 1mm, 6m aluminium profile
Protejat cu folie de protectie	With protective film layer

	N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1094	✓	✓	✓																

1x6m

4

•5054/III




Carucior actionare pentru plasa glisanta 11x37mm	Sliding door roller for 11x37mm profile
Material PVC turnat	Injection molded PVC component
negru	black

1x50

5


•5058



1x1

5

•5055




1x50

6

7

•5052

•5053



1x50

Coltar aluminiu
pentru rama simpla
glisanta

Aluminium corner
element for
single-track frame
profile

Turnat din material
aluminiu special

Special aluminium
alloy

natur

mill finish

Coltar plastic
pentru rama dubla
glisanta

Plastic corner
element for
two-track frame
profile

Material PVC turnat

Injection molded
PVC component

negru

black

Coltar ascuns
pentru profil plasa
glisanta 11x37mm
(jos, sus)

Hidden corner
element for
11x37mm slidin
door-type profile
(lower, upper)

Material PVC turnat

Injection molded
PVC component

5052-felső, szürke
5053-alsó, fekete


5052-felső, szürke
5053-alsó, fekete

1

26



•1024

•FO1024



•5043

•7003





1x6m

	N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1024	✓	✓	✓																
•Fo1024							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

2

•1026

•FO1026





1x6m

	N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1026	✓	✓	✓																
•Fo1026							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

2

•1075

•FO1075



1x6m

	N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1075	✓	✓	✓																
•Fo1075							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Profil usa glisanta
13x62mm
cu nut pt. perie

Grosime mat. 1mm,
bara la 6m

Protejat cu folie
de protectie

Garnitura din
cauciuc 6,0mm

Perie textila
6,5x5mm

Sliding door type
insect screen profile
13x62mm

Thickness of material
1mm, 6m aluminium
profile

With protective
film layer

Rubber seal 6,0mm

Textile brush
6,5x5mm

Profil rama dubla
25x35mm pentru
usa glisanta

Grosime mat. 1mm,
bara la 6m

Protejat cu folie
de protectie

Two-track frame
profile for sliding
door type insect
screens 25x35mm

Thickness of material
1mm, 6m aluminium
profile

With protective
film layer

Profil rama simpla
pentru usi glisante
17x36mm

Grosime mat. 1mm,
bara la 6m

Protejat cu folie
de protectie



Single-track frame
profile for sliding
door type insect
screens 17x36mm

Thickness of material
1mm, 6m aluminium
profile

With protective
film layer

•1075

•FO1075



1x6m

	N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1075	✓	✓	✓																
•Fo1075							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓



ne rezervam dreptul de modificari tehnice • we reserve the right of any technical change •

EVO

OBLAL TEAM

7

•1107
•FO1105



1x6m

	N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1107	✓	✓	✓																
•Fo1105							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Profil de intarire
10x25mm pentru
plasa glisanta

Grosime mat. 1mm,
bara la 6m

Protejat cu folie
de protectie

10x25mm-es bra-
cing profile for
sliding door type
insect screens



Thickness of material
1mm, 6m aluminium
profile

With protective
film layer

27

8

•5098
•5098FE



1x50

Adaptor plastic
pentru profil de
intarire 10x25mm

Material PVC turnat

5098 - alb
5098FE - negru


Plastic adapter for
10x25mm bracing
profile

Injection molded
PVC component

5098 - white
5098FE - black

4

•5058



1x1

natúr

sirova

Coltar aluminiu
pentru rama
glisanta
(simpla si dubla)


Turnat din material
aluminiu special

natur

Aluminium corner
element for frame
profile
(single-track and
double-track)

Special aluminium
alloy

mill finish



 1x1

Coltar aluminiu pentru profil glisant 13x62mm	Aluminium corner element for 13x62mm slider door type insect screen profile
Turnat din material aluminiu special	Special aluminium alloy

natur mill finish

Ghid de debitare	Cutting parameters
-------------------------	---------------------------

A1	A2	B1	B2
L / H	-	-	-
L-95 mm	-	-	-
L-95 mm	-	-	-
-	L-53 mm H-53 mm	-	-
-	L-113 mm	-	-
-	L / H	-	-
-	-	-	-
-	-	L / 2-20mm	-
-	-	L / 2	-
-	-	H-50mm	-
-	-	LA-74mm	-
-	-	-	L / 2-25mm
-	-	-	L / 2+7,5mm
-	-	-	L / 2+7,5mm
-	-	-	LA-130mm

profil usa 27,5x45	27,5x45 door profile
profil „S” 18,3x70	18,3x70 „S” bracing profile
tabla de protectie 20x100	20x100 protective profile
profil usa 12x27	12x27 door profile
profil „S” 10x60	10x60 „S” bracing profile
tabla de protectie 10x100	10x100 protective profile
profiul cadru 15x39	15x39 frame profile
11x37 - un canat	11x37 single-track
11x37 - doua canate	11x37 double-track
11x37 - inaltime	11x37 height
profil „S” 10x60	10x60 „S” bracing profile
13x62 - un canat	13x62 single-track
13x62 - doua canate	13x62 double-track
13x62 - inaltime	13x62 height
profil intarire 10x25	10x25 bracing profile

A1 - usa 27,5x45
A2 - usa 12x27
B1 - usa glisanta 11x37
B2 - usa glisanta 13x62

L - latime totala
H - inaltime
LA - latime canat





A1 - door 27,5x45
A2 - door 12x27
B1 - sliding door 11x37
B2 - sliding door 13x62

L - full width
H - height
LA - opening width



Sisteme cu rama fixa

Fixed frame systems




1

30

•1012

•FO1012



•5039




Profil fix cu aripa 9x27,5mm	9x27,5mm flange profile
Grosime mat. 1mm, bara la 6m	Thickness of material 1mm, 6m aluminium profile
Protejat cu folie de protectie	With protective film layer
Garnitura din cauciuc 4,2mm	Rubber seal 4,2mm

 1x6m		N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1012	✓	✓	✓																	
•Fo1012								✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

1

•1103

•FO1103



•5039



Profil fix cu aripa 9x30mm	9x30mm flange profile
Grosime mat. 1mm, bara la 6m	Thickness of material 1mm, 6m aluminium profile
Protejat cu folie de protectie	With protective film layer
Garnitura din cauciuc 4,2mm	Rubber seal 4,2mm

 1x6m		N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1103	✓	✓	✓																	
•Fo1103								✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓


2

•5033

•5033B

•5033R

•5033FE





1x50



Coltar vizibil plastic pentru profil 9x27,5mm	Visible corner element for 9x27,5mm profile
Material PVC turnat	Injection molded PVC component
5033 - alb 5033B - maro 5033R - RAL8003 5033FE - negru	5033 - white 5033B - brown 5033R - RAL8003 5033FE - black

2



•5030/II
•5030/IIFE



1x1

2



•5032
•5032R
•5032FE



1x50

3

•5021X
•5021XB
•5021XR



1x50

31

**Coltar vizibil plastic
pentru profil
9x30mm**

Material PVC turnat

5030/II - alb
5030/IIFE - negru

**Visible corner
element for
9x30mm profile**

Injection molded
PVC component

5030/II - white
5030/IIFE - black

**Coltar ascuns plastic
pentru profil
9x27,5 si 9x30mm**

Material PVC turnat

5032 - alb
5032R - RAL8003
5032FE - negru

**Hidden corner
element for
9,27,5 and
9x30mm profile**

Injection molded
PVC component

5032 - white
5032R - RAL8003
5032FE - black

**Element de fixare
in garnitura
(metalic)**


X : 4 = 4mm
X : 9 = 9mm
X : 12 = 12mm
X : 15 = 15mm
X : 17 = 17mm
X : 19 = 19mm
X : 21 = 21mm
X : 23 = 23mm

5021 - alb
5021B - maro
5021R - RAL8003



**Rotatable hook
(metal)**

X : 4 = 4mm
X : 9 = 9mm
X : 12 = 12mm
X : 15 = 15mm
X : 17 = 17mm
X : 19 = 19mm
X : 21 = 21mm
X : 23 = 23mm

5021 - white
5021B - brown
5021R - RAL8003



	N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1014	✓	✓	✓												✓	✓	✓	✓	✓
•Fo1014							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓




Profil fix 11x26mm	11x26mm fix profile
Grosime mat. 1mm, bara la 6m	Thickness of material 1mm, 6m aluminium profile
Protejat cu folie de protectie	With protective film layer
Garnitura din cauciuc 6,0mm	Rubber seal 6,0mm


Coltar vizibil plastic cu magnet si placa metalica	Visible corner element with magnet and metal part
•5015 - magnet •5034 - placa metalica	•5015 - magnet •5034 - metal part
Material PVC turnat	Injection molded PVC component
5036 - alb 5036FE - negru	5036 - white 5036FE - black
Coltar ascuns pentru profil fix 11x26mm	Hidden corner element for 11x26mm profile
Material PVC turnat	Injection molded PVC component
5035 - alb 5035FE - negru	5035 - white 5035FE - black

1

•1068
•FO1068



•5039  4,2mm



•7038 

 1x6m

	N	FE	B	FAT	FM	FD	RSD	RAN	RAT	RD	RMA	RMC	RMT	RO	RSI	RST	RSC	RSB	RWX
•1068	✓	✓	✓																
•Fo1068							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

2


•5065/PVC



 1x50

5

•5079-7mm
•5080-10mm
•5081-15mm
•5082-17mm
•5083-20mm
•5084-25mm
•5085-30mm



 1x1

Profil fix 12x27mm

12x27mm fix profile

Grosime mat. 1mm, bara la 6m

Thickness of material 1mm, 6m aluminium profile

Protejat cu folie de protectie

With protective film layer

Garnitura din cauciuc 4,2mm

Rubber seal 4,2mm

Perie textila 8x4mm

Textile brush 8x4mm

Coltar ascuns plastic pentru profil fix 12x27mm

Hidden corner element for 12x27mm profile

Material PVC turnat

Injection molded PVC component

negru

black

Agatator montaj pentru profil 12x27mm

Metal hanging element for 12x27mm profile


Metal inoxidabil

Rough metal component

natur

mill finish

34





6,0mm


Technical drawing of a truncated cone. The base is a rectangle with a width of 8. The height of the cone is 10. The top surface is an elliptical arc representing the top of the cone.

 1x6m[illegible]

- 5035
- 5035FE

 1x50

•5095



1x1

**11x31mm fix
profile**

Grosime mat. 1mm,
bara la 6m

Thickness of material
1mm, 6m aluminium
profile

Protejat cu folie
de protectie

With protective film layer

Garnitura din
cauciuc 6,0mm

Rubber seal 6,0mm

Perie textila
8x10mm

Textile brush
8x10mm

**Coltar ascuns pentru
profil fix 11x31mm**

**Hidden corner
element for
11x31mm profile**

Material PVC turnat

Injection molded
PVC component

5035 - alb
5035FE - negru

5035 - white
5035FE - black

**Placa de montaj
rotund pentru
profil 11x31mm**




**Metal mounting
element for
11x31mm profile**

Metal inoxidabil



Rough metal
component

natur

mill finish



Maneras pentru montaj plase fixe	Insect screens mounting handle
gri	gray
Garnituri din cauciuc	Rubber seals
Garnitura din cauciuc 4,2mm	Rubber seal 4,2mm
Garnitura din cauciuc 5,0mm	Rubber seal 5,0mm
Garnitura din cauciuc 6,0mm	Rubber seal 6,0mm
gri	gray
Perii textile	Textile brushes
Perie textila 6,5x9mm	Textile brush 6,5x9mm
Perie textila 6,5x9mm	Textile brush 6,5x9mm
Perie antivânt 6,5x9mm special	Textile brush 6,5x9mm special, strong
Perie textila 5,5x20mm pentru sisteme Klick-Klack	Textile brush 5,5x20mm for Klick-Klack systems
Perie textila 8x4mm pentru usa 12x27mm	Textile brush 8x4mm for 12x27mm profile
Perie textila 8x10mm	Textile brush 8x10mm
Perie textila 6,5x12mm	Textile brush 6,5x12mm



-
-
-
-
-
-
- t
-
-
-
-
-

Banda magnetica	Magnet tape
Banda magnetica pentru profil agatator II. si profil 20x22mm	Magnet tape for endslat II. and 20x22mm profile
Banda magnetica pentru profil 12x27mm	Magnet tape for 12x27mm profile
negru	black
Plase insecte	Insect screens
90m/rola plasa dura diferite inaltimi	90m/roll hard material different heights
•7005 - 100cm	•7005 - 100cm
•7006 - 120cm	•7006 - 120cm
•7007 - 140cm	•7007 - 140cm
•7008 - 160cm	•7008 - 160cm
•7009 - 180cm	•7009 - 180cm
•7010 - 200cm	•7010 - 200cm
•7011 - 240cm	•7011 - 240cm
30m/rola plasa moale diferite inaltimi	30m/roll soft material different heights
•7005P - 100cm	•7005P - 100cm
•7006P - 120cm	•7006P - 120cm
•7007P - 140cm	•7007P - 140cm
•7008P - 160cm	•7008P - 160cm
•7009P - 180cm	•7009P - 180cm